


UHF 4630 INLAY



Global Tag **UHF 4630** is a RFID UHF antenna design, with compact form and 46x30mm size. It is available in different formats, such as wet-inlay, paper label or PP/PET label. This RFID tag enables a similar reading distance from any different angulation. This feature makes this product perfect for many projects. Different customizations are available such as die-cut label size, encoding of EPC/memory, or content printing.



MECHANICAL AND ENVIRONMENTAL SPECIFICATIONS

Antenna Size: 46x30mm

Dry inlay size: 46x30mm

Wet inlay size: 52x32mm

Paper/PP/PET label size: 52x32mm

Pitch Size: 37.5mm

Gap: 5.5mm

Web Width: 60 mm

Mounting System: Glue, (optionally 3M 467 adhesive or Removable Glue)

Material: Dry-inlay, Wet-inlay, Paper, PP or PET


Color: White

Antenna Material: Aluminum

Storage Temperature: -40°C to +65°C / -40°F to 149°F

Operating Temperature: -25°C to +50°C / -13°F to 122°F

Delivery format: in reel



IC CHIP SPECIFICATION:

Operation Frequency	UHF 860-960 MHz
Air interface protocol	UHF EPC Class 1 Gen 2
IC Type Available	Monza 4QT
TID Memory	64bit
EPC Memory	128bit
User Memory	512bit

CUSTOMIZATION OPTIONS:

Printing: 4-color or monochrome logo, Progressive number, Serial number from database, Barcode or QR code

Encoding: Writing contents in EPC/User Memory (optionally from customer's database)

ORDER INFORMATION:

Standard products have these available size

PRODUCT CODE WET-INLAY: GT-WT5032-M4QT

PRODUCT CODE PAPER LABEL: GT-PL5032-M4QT

PRODUCT CODE PET LABEL: GT-PET5032-M4QT

PRODUCT CODE PP LABEL: GT-PP5032-M4QT

For further information or customized request:

Global Tag Srl – Via Zanardelli 13/A 25062 Concesio (BS) - Italy

P +39 030 2005259

S global-tag

W www.global-tag.com

M sales@global-tag.com

DISCLAIMER:

The information in this document is subject to change without notice. Global Tag assumes no responsibility for any errors that may appear in this document. Application recommendations are guidelines only - actual results may vary and should be confirmed. This is a general-purpose product not designed or intended for any specific application. Global Tag Srl or its subsidiaries are not responsible for the performance or support of third party products and does not make any representations or warranties whatsoever regarding quality, reliability, functionality, or compatibility of these devices or products.

© Copyright 2025 - Global Tag Srl